

## Side Tensioned Screen Application Information

End User: \_\_\_\_\_ Date: \_\_\_\_\_

Location: \_\_\_\_\_ Dealer: \_\_\_\_\_

Dealer Contact: \_\_\_\_\_

### Equipment

Screening Equipment Manufacturer: \_\_\_\_\_ Incline or Horizontal: \_\_\_\_\_

Screen Surface Angle: \_\_\_\_\_ Deck Size: \_\_\_\_\_ X \_\_\_\_\_ Number of Decks: \_\_\_\_\_

Inside Plate Dimension: \_\_\_\_\_

Type of Screens in Use: ☐ Rubber ☐ Wire ☐ Punch Plate ☐ Urethane

Current Media Thickness: \_\_\_\_\_ What is the wear life? in tons: \_\_\_\_\_

### Material

Tons per Hour to Deck: \_\_\_\_\_ Type of Material: \_\_\_\_\_

Size (Min. & Max.): \_\_\_\_\_ Shape of Material: \_\_\_\_\_

% of Moisture content: \_\_\_\_\_ % of fines: \_\_\_\_\_


Is there pegging? ☐ Yes ☐ No Is there blinding? ☐ Yes ☐ No

Any additional information: \_\_\_\_\_

### Screen Information

Required Aperture Size: \_\_\_\_\_ ☐ Round ☐ Square ☐ Slotted


Note any special instructions on this view. (Example: Impact Areas)





Further notations requested on the next page.

## Side Tensioned Screen Application Information

Center Hook Configuration



Center Channel Configuration



Show Bucker Bar Locations

